# Stage Door Canteen- Special Events Tech Menu

## **Pre-Event Requirements:**

- All media, layout requests, and run-of-show documents must be finalized and submitted to the AV department no later than 72 hours prior to the start of your event.
- Media received post this deadline may not be adequately tested, potentially leading to unaddressed issues and may incur a penalty fee.
- No alterations can be made once the event is in progress.

Equipment Provision Disclaimer: The National WWII Museum does not supply the following items for meetings and events: extension cords, power strips, flip-charts, white boards, dry erasers, or writing implements.

#### **Audio Features:**

- Mixing Board: Yamaha CL3
- Speakers: Main Renkus Heinz TRX121T (3 left, 3 right) Fill Renkus Heinz SGK41 (4 front fill, 6 back fill) Subs - Renkus Heinz BPS15-2k (1 left, 1 right) Monitors - 3 built into stage flooring.
- Microphones: 12 Wireless Handheld Shure Axient Beta87. H4 Frequency. Ability for additional wired microphones as applicable.
- Audio Recording: Available in MP3 format.
- Audio Playback Connections: A 1/8th audio jack is available. Use of an MP3 player is recommended. No streaming services are permitted when connected to museum Wi-Fi due to security protocols.
- Restrictions: No Bluetooth connectivity, no streaming services over Museum Wi-Fi, and no Personal phone use for media is restricted for the same reasons.

#### **Video and Presentation Tools:**

- Resolution: Ensure all visual media is set to 1920x1080p with a 16:9 aspect ratio for compatibility with our systems.
- **Projector:** Christie HD 14K-M, *rear projection*.
- **Screen:** A sizeable 20'w x 12'h flyable screen to display your content.
- BluRay Player: Oppo
- Laptop Requirement: Client's laptop must support HDMI connectivity.

#### **Presentation Instructions:**

- Embed all videos into PowerPoint presentations as MP4 or H.264 files and submit videos alongside the PPT files.
- Looping PowerPoint presentations must be configured with the looping option activated and slide timings preset.

# **Lighting System:**

- Control: ETC ION
- Limitations: The existing stage and house lighting setup cannot be adjusted specifically for events.

# **Power Supply:**

• Multiple 120v outlets are available on the main floor, but power requirements must be discussed in advance to ensure proper support.

### **External Productions and Performances:**

- **Power:** Additional power needs must be addressed with a licensed electrician, implying extra costs.
- **Bands:** Outside bands are responsible for their own equipment, backline, and staffing.

## **Stage Specifications:**

- Width: Varied, from 17'10" between Flag Flats to 30'2" inside stage stairs.
- **Depth:** 12'9" from the blackout drapery to the screen, with 15'2" from screen to stage edge.
- Ceiling Height: 11'9", accommodating various stage setups.